L Number	Hits	Search Text	DB	Time stamp
-	2	("6615217").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 09:39
-	4	("5296636" | "6098129" | "6442663" | "6529976").PN.	USPAT	2004/09/21 10:59
-	111396	(709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 09:52
-	163	((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read$3 or writ$3 or access$3) adj10 (file or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 10:17
-	5	(((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 09:51
-	473	(open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 09:51
-	399	((open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:57
-	2	((((open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network$2 or remote$ or distribut$3) adj10 (file or disk)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:53
-	1	((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) and ((((open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network$2 or remote$ or distribut$3) adj10 (file or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 09:54
-	6	((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) or ((((open$3 or establish$3) near10 (session or connection or TCP/IP) with (read$3 or writ$3 or access$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network$2 or remote$ or distribut$3) adj10 (file or disk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 10:06
-	1365	((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:52

-	55	(((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:48
-	1	"08/939,069"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 10:45
-	41	((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous) and (block$3 or mashal$3 or stream$3 or encapsulat$3) near5 (data or record or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 10:58
-	38	((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous) and (block$3) near5 (data or record or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:14
-	20	((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous) and (blocking) near5 (data or record or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 10:59
-	18	(((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous) and (block$3) near5 (data or record or file)) not (((((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous) and (blocking) near5 (data or record or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:14
-	39	((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3).ti,ab. with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:50
-	1	(((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3).ti,ab. with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:55
-	6	(((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3 or direct$3).ti,ab. with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:49
-	14	((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3).ti,ab. with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:51
-	3	(((709/$3 or 370/$6 or 711/$3 or 710/$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote$3).ti,ab. with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:51

-	4127	(remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:52
-	36	((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API with (first and second)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:55
-	3303	((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:58
-	24	(((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller) and API with (first and second)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:55
-	8	((((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller) and API with (first and second)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and heterogeneous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 11:56
-	255	(((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and peer adj3 (peer or computer or client or server or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:20
-	0	((((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and peer adj3 (peer or computer or client or server or application)) and between near10 peer adj3 (peer or computer or client or server or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:21
-	0	((((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and peer adj3 (peer or computer or client or server or application) and (read$3 or writ$3 or access$3 or shar$3) adj5 (file or data or information or document) with between with peer adj3 (peer or computer or client or server or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:57
-	27	((((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and peer adj3 (peer or computer or client or server or application)) and (read$3 or writ$3 or access$3 or shar$3) adj5 (file or data or information or document) with peer adj3 (peer or computer or client or server or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:47
-	13	(((((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and peer adj3 (peer or computer or client or server or application)) and (read$3 or writ$3 or access$3 or shar$3) adj5 (file or data or information or document) with peer adj3 (peer or computer or client or server or application)) and API	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:40
-	7	(("6718372") or ("6654794") or ("6571282") or ("6356863") or ("6453325") or ("6567828") or ("6397258")).PN.	USPAT	2004/09/24 16:55

-	2	((("6718372") or ("6654794") or ("6571282") or ("6356863") or ("6453325") or ("6567828") or ("6397258")).PN.) and peer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:59
-	46	API with NFS and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:58
-	24	(API with NFS and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:58
-	1	((API with NFS and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (((remote$3 or direct$3 or network or internet) with (read$3 or writ$3 or access$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629))) and peer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 16:59